

# UNITED STATES CONSUMER PRODUCT SAFETY IMPROVEMENT ACT (CPSIA) SECTION 102

## CERTIFICATE OF CONFORMITY

---

**PRODUCT IDENTIFICATION:**

STUDENT DESK SERIES

**PRODUCT SERIES:**

2100 STUDY MASTER, 1321 STUDY CARREL, 9500, R900, 9A00, 9C00,  
C500, C800, 9300, 9400, 9780, 9680, 9100, 9900, 9800, 2900, 1911, 7900,  
AND ALL RESPECTIVE OPTIONS.

**CERTIFICATION:** THIS PRODUCT COMPLIES WITH ALL RULES IN ACCORDANCE TO THE CPSIA INCLUDING:

~ CONSUMER PRODUCT SAFETY IMPROVEMENT ACT (CPSIA) OF 2008 SECTION 101

~ 16 C.F.R. 1303 (BAN OF LEAD CONTAINING PAINT AND CERTAIN CONSUMER PRODUCTS BEARING LEAD CONTAINING PAINT)

**CERTIFIED BY:**

**MANUFACTURER NAME:**

Artco-Bell Corporation

**ADDRESS:**

1302 Industrial Blvd

**CITY, STATE:**

Temple, Texas

**ZIP/POSTAL CODE:**

76504

**COUNTRY:**

USA

**RECORDS CONTACT:**

**NAME:**

Mack Westbrook, Director of Engineering

**COMPANY:**

Artco-Bell Corporation

**ADDRESS:**

1302 Industrial Blvd

**CITY, STATE:**

Temple, Texas

**ZIP/POSTAL CODE:**

76504


**E-MAIL ADDRESS:**

mwestbrook@artcobell.com

**PHONE NUMBER:**

(254)899-3544

**DATE AND PLACE OF MANUFACTURER:**



**TEST DATE:**

March 4, 2009

**THIRD PARTY TEST LABORATORY:**

Ana-Lab Corporation

**ADDRESS:**

2600 Dudley Rd

**CITY, STATE:**

Kilgore, Texas

**ZIP/POSTAL CODE:**

75672

**COUNTRY:**

USA