

UNITED STATES CONSUMER PRODUCT SAFETY IMPROVEMENT ACT (CPSIA) SECTION 102

CERTIFICATE OF CONFORMITY

PRODUCT IDENTIFICATION:

CATALYST™ SERIES

PRODUCT SERIES:

2200 TABLES, 2300 TABLES, 3200 TABLES, 3300 TABLES, AND ALL
RESPECTIVE OPTIONS.

CERTIFICATION: THIS PRODUCT COMPLIES WITH ALL RULES IN ACCORDANCE TO THE CPSIA INCLUDING:

~ CONSUMER PRODUCT SAFETY IMPROVEMENT ACT (CPSIA) OF 2008 SECTION 101

~ 16 C.F.R. 1303 (BAN OF LEAD CONTAINING PAINT AND CERTAIN CONSUMER PRODUCTS BEARING LEAD CONTAINING PAINT)

CERTIFIED BY:

MANUFACTURER NAME:

Artco-Bell Corporation

ADDRESS:

1302 Industrial Blvd

CITY, STATE:

Temple, Texas

ZIP/POSTAL CODE:

76504

COUNTRY:

USA

RECORDS CONTACT:

NAME:

Mack Westbrook, Director of Engineering

COMPANY:

Artco-Bell Corporation

ADDRESS:

1302 Industrial Blvd

CITY, STATE:

Temple, Texas

ZIP/POSTAL CODE:

76504


E-MAIL ADDRESS:

mwestbrook@artcobell.com

PHONE NUMBER:

(254)899-3544

DATE AND PLACE OF MANUFACTURER:



TEST DATE:

March 4, 2009

THIRD PARTY TEST LABORATORY:

Ana-Lab Corporation

ADDRESS:

2600 Dudley Rd

CITY, STATE:

Kilgore, Texas

ZIP/POSTAL CODE:

75672

COUNTRY:

USA