

WithinReach Podium

Top

Overview: 22" x 26" top is constructed of a 3/4" thickness 45# particleboard core with high-pressure laminate (HPL) top surface and phenolic backer sheet.

Edgeband: 3/4" flat vinyl edge is secured throughout the perimeter of the top.

Frame

Overview: Vertical two square piece pneumatic telescoping support column: (70mm x 70mm x 2mm) external column and (63mm x 63mm x 2mm) internal column with internal plastic bushings

Shipping: Unit ships knocked-down (KD) and requires field installation.

Mounting Plate: H-shaped 1/4" steel for added support and fourteen (14) #12 X 1" philips pan head screws are use to attach top to frame.

V-shaped Base: fully welded and comprised of 1.5" x 1.0" steel tubes with gray plastic end caps with a laser-cut gusset that connects V-shaped foots to columns for extra support.

Frame Color: Offered in Titanium and Black powder-coated paint finishes.

Casters

Type of Caster: Four (4) 50mm hard wheel locking casters

Cupholder (Optional)

Overview: One-piece 17" length x 4 1/4" width injection-molded polypropylene with anti-static additive-

Tablet Slot: Accommodates electronic devices and tablets up to 11 inches in length within the integrated slot

Cupholder: Fits standard size 20 oz and 30 oz tumblers

Laptop Tray (Optional)


Overview: 14" length x 7" width x 3" height

Tray Color: Offered in Titanium and Black powder-coated paint finishes.

Compliance

> Meets or exceeds applicable ANSI/BIFMA test standards

> Indoor Advantage™ Gold. Indoor air quality certified to SCS-EC10.3-2014







WithinReach Podium Teacher Station

MODEL	TOP DEPTH"	TOP WIDTH"	TOP HEIGHT"	OVERALL FOOTPRINT"	D.B.L. "
PCWE	22.0"	26.0"	27"- 40.0"	22"w x 26"d	14"
PXWE	22.0"	26.0"	27"- 40.0"	22"w x 26"d	14"

Notes

D.B.L. — distance between legs





WithinReach Podium Teacher Station

