# **Linear + Curved Lounge**

Configurable upholstered sofas, chairs and ottomans with backs. Cover may be specified in vinyl. Accommodates up to 300 lb. weight capacity.

#### **Seat frame**

> Industry leading all steel structure on solid wood base. Back receivers are 1-1/2" 16 gauge steel tube welded to 13 gauge base plate with 13 gauge support gussets, then powder coated and fastened with (9) #10x3/4" wood screws.

#### **Back frame**

> Industry leading all steel structure. Inserts are 1-5/16" 16 gauge steel tube welded to a 12 gauge CNC-formed back hoop with 16 gauge cross bar for support. Back frame is then powder coated. Back is secured to couch base by two 3/8" bolts. Couch back is shipped knocked down to reduce shipping cubes. Assembles with two bolts.

#### **Padding**

> Foam padding is 1.8/50 ILD foam over 1.8/90 ILD foam on seat and 1.8/34 ILD foam over 1/8/90 ILD foam on the back.

#### Cover

> Cover may be specified in environmentally friendly wipe clean coated vinyl

#### Feet

Adjustable nylon glides.

#### **Tops**

1" thermofused laminate. All four exposed edges of the uprights are banded with 2mm matching PVC. Ottoman top is (dimensions). Wedge top is (dimensions). Tops are attached to base with steel-encased, neodymium magnets (.9843" diameter x .2786" thick) attached with screws. Mating plates are sewn-in 18-8 stainless steel finish, countersunk washers (1.339" diameter x .118" thick).

#### Compliance

- > Certified Indoor Advantage™ Gold. Indoor air quality certified to SCS-EC10.3-2014 V3.0. Registration #SCS-AQ-03677
- > Indoor Advantage™ Gold. Indoor air quality certified to SCS-EC10.3-2014





### Sofa 24"


MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-LS24	24.3"	26.3"	36.0"	18.0"
SSD-LS24	24.3"	26.3"	36.0"	18.0"

1. GLIDES: QTY 4

2. FOAM: 18090 CHARCOAL, 90 IFD/ILD











### Sofa 42"

MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-LS42	42.3"	26.3"	36.0"	18.0"
SSD-LS42	42.3"	26.3"	36.0"	18.0"


1. GLIDES: QTY 6

2. FOAM: 18090 CHARCOAL, 90 IFD/ILD





Sofa 42"







### Sofa 48"

MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-LS48	48.3"	26.3"	36.0"	18.0"
SSD-LS48	48.3"	26.3"	36.0"	18.0"


1. GLIDES: QTY 6

2. FOAM: 18090 CHARCOAL, 90 IFD/ILD





Sofa 48"







### Sofa 60"

MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-LS60	60.3"	26.3"	36.0"	18.0"
SSD-LS60	60.3"	26.3"	36.0"	18.0"


1. GLIDES: QTY 6

2. FOAM: 18090 CHARCOAL, 90 IFD/ILD





Sofa 60"







### Corner

MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-LC26	26.3"	26.3"	36"	18"
SSD-LC26	26.3"	26.3"	36"	18"


1. GLIDES: QTY 4

2. FOAM: 18090 CHARCOAL, 90 IFD/ILD





### Corner







## Square

MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-SQ2618	26.3"	26.3"	18"	18"
SS-SQ2618T	26.3"	26.3"	19.3"	18"
SSD-SQ2618	26.3"	26.3"	18"	_


- 1. GLIDES: QTY 4. ALL GLIDES INSET FROM OUTER EDGE 2"
- 2. LAMINATE TOP WITH EDGEBAND: 1 in THICK
  - TOP INSET TO UNIT BODY BY .5in
  - TOP SECURED TO UNIT WITH MAGNETS
- 3. FOAM: 18090 CHARCOAL, 90 IFD/ILD







# Square







## Wedge


MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-WD2618	26.2"	26.2"	18"	18"
SS-WD2618T	26.2"	26.2"	19.3"	18"
SSD-WD2618	26.2"	26.2"	18"	_

- 1. GLIDES: QTY 4. ALL GLIDES INSET FROM OUTER EDGE 2"
- 2. LAMINATE TOP WITH EDGE BAND: 1 in THICK
  - TOP INSET TO UNIT BODY BY .5in
  - TOP SECURED TO UNIT WITH MAGNETS
- 3. FOAM: 18090 CHARCOAL, 90 IFD/ILD





## Wedge







#### Round

MODEL	WIDTH"	DEPTH"	HEIGHT"
SSD-RD3018	30.125"	30.125"	18"
SS-RD3018	30.125"	30.125"	18"
SS-RD3018T	30.125"	30.125"	19.25"


- 1. 29.75" DIAMETER WOOD BASE, MDF MATERIAL, 0.75" THICK.
- 2. 29.20" DIAMETER WOOD TOP, TFL MATERIAL, 1" THICK. EASILY REMOVAL FOR CLEANING DUE TO MAGNETIC ASSEMBLY APPLICATION.
- 3. COVER IS VINYL MATERIAL, TWO SIDE SEAMS, THREE PIECES TOTAL. COVER WILL HAVE SEWN-IN COUNTERSINK WASHER. 1.339" DIAMETER x .118" THICK
- 4. TOP SECURED TO UNIT WITH MAGNETS
- 5. ONLY STANDARD GLIDE OPTIONS AVAILABLE. NO CASTER OPTIONS. NO SOFA LEG OPTIONS.









#### Round



\*SS-RD3018T Model w/Table Top TOP VIEW









### Inside Curve | 45° Radius


MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-CSI45	46.2"	28.9"	36"	18"
SSD-CSI45	46.2"	28.9"	36"	18"




- CURVED SOFA IN AT 45 DEGREE TOP VIEW.
- MAIN COMPONENTS OF FINAL ASSEMBLY [FULLY ASSEMBLED]:
  - FOAM: 18090 STANDARD INDUSTRY GRADE.
  - FABRIC: DESIGN CHOICE SPECIFIC TO CUSTOMER, SECURED TO UNIT WITH STAPLES ONTO WOOD BASE.
  - WOODBASE: 0.75" THICK MDF WITH BACKER BROWN, GLUED TO FOAM UNIT.
  - FRAME: 12GA, 1-1/8in METAL TUBE SUPPORT [SITS INSIDE FOAM, UNDETECTED BY USER].
- ADJUSTABLE THREADED GLIDES: 5 QTY.
- · CASTER AND SOFA BENCH LEGS NOT RECOMMENDED.
- STORAGE MODEL UNIT MATCH:
  - ASFVSC-1742
  - ASFVSC-1748








### Inside Curve | 45° Radius







#### Inside Curve | 60° Radius


MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-CSI60	60.3"	30.9"	36"	18"
SSD-CSI60	60.3"	30.9"	36"	18"

- CURVED SOFA IN AT 60 DEGREE TOP VIEW.
- MAIN COMPONENTS OF FINAL ASSEMBLY [FULLY ASSEMBLED]:
  - FOAM: 18090 STANDARD INDUSTRY GRADE.
  - FABRIC: DESIGN CHOICE SPECIFIC TO CUSTOMER, SECURED TO UNIT WITH STAPLES ONTO WOOD BASE.
  - WOODBASE: 0.75" THICK MDF WITH BACKER BROWN, GLUED TO FOAM UNIT.
  - FRAME: 12GA, 1-1/8in METAL TUBE SUPPORT [SITS INSIDE FOAM, UNDETECTED BY USER].
- ADJUSTABLE THREADED GLIDES: 6 QTY.
- · CASTER AND SOFA BENCH LEGS NOT RECOMMENDED.
- STORAGE MODEL UNIT MATCH:
  - ASFVSC-1742
  - ASFVSC-1748










### Inside Curve | 60° Radius







#### Outside Curve | 45° Radius

MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-CSO45	46.2"	28.9"	36"	18"
SSD-CSO45	46.2"	28.9"	36"	18"


- CURVED SOFA OUT AT 45 DEGREE TOP VIEW.
- MAIN COMPONENTS OF FINAL ASSEMBLY [FULLY ASSEMBLED]:
  - FOAM: 18090 STANDARD INDUSTRY GRADE.
  - FABRIC: DESIGN CHOICE SPECIFIC TO CUSTOMER, SECURED TO UNIT WITH STAPLES ONTO WOOD BASE.
  - WOODBASE: 0.75" THICK MDF WITH BACKER BROWN, GLUED TO FOAM UNIT.
  - FRAME: 12GA, 1-1/8in METAL TUBE SUPPORT [SITS INSIDE FOAM, UNDETECTED BY USER].
- ADJUSTABLE THREADED GLIDES: 5 QTY.
- · CASTER AND SOFA BENCH LEGS NOT RECOMMENDED.
- STORAGE MODEL UNIT MATCH: NA







### Outside Curve | 45° Radius






#### Outside Curve | 60° Radius


MODEL	WIDTH"	DEPTH"	HEIGHT"	SEAT DEPTH "
SS-CSO60	60.3"	30.9"	36"	18"
SSD-CSO60	60.3"	30.9"	36"	18"

- CURVED SOFA OUT AT 60 DEGREE TOP VIEW.
- MAIN COMPONENTS OF FINAL ASSEMBLY [FULLY ASSEMBLED]:
  - FOAM: 18090 STANDARD INDUSTRY GRADE.
  - FABRIC: DESIGN CHOICE SPECIFIC TO CUSTOMER, SECURED TO UNIT WITH STAPLES ONTO WOOD BASE.
  - WOODBASE: 0.75" THICK MDF WITH BACKER BROWN, GLUED TO FOAM UNIT.
  - FRAME: 12GA, 1-1/8in METAL TUBE SUPPORT [SITS INSIDE FOAM, UNDETECTED BY USER].
- ADJUSTABLE THREADED GLIDES: 6 QTY.
- CASTER AND SOFA BENCH LEGS NOT RECOMMENDED.
- STORAGE MODEL UNIT MATCH: NA



CONTINUOUS SEAM FROM TOP OF SEAT TO FACE FRONT





### Outside Curve | 60° Radius

